





MAP 192G (Revised)

KEPENKECK LAKE

NEWFOUNDLAND

Scale 1:50 000 - Échelle 1/50 000

Kilometres 0 1 2 3 4
Universal Transverse Mercator Projection
© Crown copyrights reserved
Projection transversale universelle de Mercator
© Droits de la Couronne réservés

ISOMAGNETIC LINES (total field):
500 gammas
100 gammas
20 gammas
10 gammas
Magnetic depression
Flight lines
Flight altitudes nominally 1000 feet above
ground level where terrain permitted.

Airborne Magnetic Survey, July and August 1953,
by Geophysics Section, Geological Survey of Canada,
Department of Mines and Technical Surveys. Maps
Drafted by Canadian Aero Service Ltd., Ottawa, 1967-68

No correction has been made for regional variation

The planimetry for this map was obtained from
topographical map sheets published by the Department
of Mines and Technical Surveys

The magnetic data on this map were compiled from information
recorded along the flight lines shown. The anomalies expressed by the
magnetic contours are dependent on the variable magnetic intensities of
the underlying rocks, and may be due to conditions near, or at unknown
depths below the surface. High magnetic anomalies normally indicate
the presence of basic rocks, such as diabase, gabbro, or serpentine, which
have a relatively high iron content, but in special instances may be due,
or partly due, to concentrations of magnetic ore minerals. By means of
the magnetic anomalies, various rock bodies or structural features, such
as faults or folds, may be traced into, or across, areas of low or no out-
crops. In many instances, however, no interpretation of particular
anomalies may be possible without further geological information.

GEOPHYSICS PAPER 192

KEPENKECK LAKE

NEWFOUNDLAND

SHEET 2 $\frac{D}{7}$

